BEXHAN VETERINARY

"Boxodirov Elyorxon Xasan o'g'li" Private Enterprise
Koson, Kashkadarya region, Uzbekistan

PRODUCT CATALOGUE 2026

Natural and effective solutions for animal health

Manufacturer of herbal preparations, feed additives, veterinary sprays and hygiene products. Serving livestock farmers since 2004.

















Herbal preparations
Han-V8 · tinctures

Feed additives
VITA-TOKS · fish oil

Veterinary sprays
OKSI Sprey 3.5%

Farm hygiene
HAN-BO'RON

Since 2004

+998 91 526 57 87 · elyor.baxodirov@bk.ru · Telegram @agro_vet_koson

ABOUT US

BEXHAN Veterinary

The **“Boxodirov Elyorxon Xasan o‘g‘li”** private veterinary enterprise was founded in **2004** in Koson, Kashkadarya region, Uzbekistan. For many years our main work was the sale of veterinary medicines and the treatment of livestock for local farmers.

Since **2010** we have been manufacturing our own veterinary products: herbal preparations, feed additives and sprays.

OUR MISSION

To produce reliable, high-quality products for the health of animals.

20+	10	2	100%
years of experience	own products	generations of vets	farm-tested

OUR JOURNEY

2004
Founded by veterinarian Hasankhon Turaev. Veterinary pharmacy and treatment of livestock.

2010
Start of our own production of veterinary products.

2016
Official dealer of Uzbiokombinat (BIVECO) for the Kashkadarya region.

2022
Launch of the VITA-TOKS feed additive line.

2026
Launch of the Han-V8 herbal phytocomplex.

LICENSED ACTIVITIES

Licensed by the State Veterinary Department of the Republic of Uzbekistan for:

- veterinary preparations and medicinal products
- feed additives
- hygiene products and veterinary supplies
- veterinary treatment and prevention

IMPORT

Besides our own production, we import:

- veterinary drugs from China
- agro products from China
- veterinary drugs from India (from February 2027)

NEW · OWN PRODUCTION

Han-V8

Phytocomplex for immunity and recovery

For cattle, sheep, goats and poultry



- Supports immunity
- Supports respiratory health
- Helps improve appetite
- Supports recovery of the body

FIELD RESULTS

On our farms in Uzbekistan it showed very good results during outbreaks of viral diseases — **lumpy skin disease**, **foot-and-mouth disease** — and in **foot rot**. Strengthens immunity; used for prevention and to support the animal during illness. **Antibiotic-free, natural formula.**

Use together with vaccination and the treatment prescribed by a veterinarian.

COMPOSITION

Key natural plants: **Banlangen** (Isatis root), **Lianqiao** (Forsythia fruit), **Huangqin** (Scutellaria root), **Huangqi** (Astragalus root), plus other medicinal herbs in a proprietary blend.

DOSAGE AND ADMINISTRATION

ANIMAL	WEIGHT	SINGLE DOSE
Cattle	200–300 kg	**300 ml**
Cattle	300–500 kg	**500 ml**
Sheep and goats	30–50 kg	**50–100 ml**
Poultry	—	**20 ml per 1 L of water**

Cattle, sheep and goats: twice a day for 3 days.
Poultry: in drinking water for 3 days.
Group use: add to drinking water in large tanks; large packs for group use are made to order.

PACKAGING
500 ml bottle, oral solution

STORAGE
+5...+25 °C, dry and cool place, away from sunlight

SHELF LIFE
24 months

Spec. TS BY 193749348.197/7302-002:2025 · Keep out of reach of children.

Han-V8 — فیتوکمپلکس برای تقویت معافیت و بهبودی

از ریشه ایساتیس، فورسیتیا، اسکوتلاریا، آستراگالوس و دیگر گیاهان دارویی. تقویت سیستم معافیتی و دستگاه تنفسی، بهبود اشتها و بازیابی بدن. برای گاو، گوسفند، بز و مرغ.

OWN PRODUCTION

Natural Herbal Tincture

For digestion and appetite

For cattle, calves, sheep and goats



- Boosts appetite
- Improves digestion
- Reduces gas and bloating
- Stimulates rumination
- Restores appetite after stress

COMPOSITION

Cumin, anise, coriander seed, mint, chamomile, black cumin (nigella), ginger, thyme, licorice root, garlic powder, cinnamon and auxiliary substances.

INDICATIONS

- Rumen atony and hypotony, weak rumination
- Mild tympany (gas build-up)
- Digestive upset after a change of feed
- Restoring digestion and appetite after illness or a course of antibiotics
- Mild indigestion after overeating feed

In severe tympany or acidosis, use only as a supportive product under veterinary supervision.

DOSAGE AND ADMINISTRATION

Cattle	Calves	Sheep and goats
300–500 ml	**100–200 ml**	**50–100 ml**

Given orally.
Severe cases: twice a day for 2 days.
Stomach disorders and weak digestion: for 3 days.

PACKAGING	STORAGE	SHELF LIFE
500 ml bottle	Dry place, protected from light, closed container, 0–25 °C	24 months

Spec. No. 19747032-002:2026 · For veterinary use only.

تنتور گیاهی طبیعی برای هضم و اشتها
از زیره، بادیان، تخم گشنیز، نعناع، بابونه، سیاه‌دانه، زنجبیل، آویشن، ریشه شیرین‌بیان، پودر سیر و دارچین. تقویت اشتها، بهبود هضم، کاهش نفخ و تحریک نشخوار. برای گاو، گوساله، گوسفند و بز.

OWN PRODUCTION · CONCENTRATE

Herbal Tincture Concentrate

Strengthened formula · 50 ml

For cattle, calves, sheep and goats



- Boosts appetite
- Improves digestion
- Reduces gas build-up
- After heavy feed
- Restores appetite after stress

STRENGTHENED FORMULA

Contains added **bitter wormwood**. It therefore works at a **much lower dose** than the 500 ml tincture. Small, convenient 50 ml bottle.

COMPOSITION

Coriander seed, dill seed, anise seed, bitter wormwood and auxiliary substances.

INDICATIONS

- Mild tympany (gas build-up)
- Digestive upset after a change of feed
- Restoring digestion and appetite after illness or a course of antibiotics
- Mild indigestion after overeating feed

In severe tympany or acidosis, use only as a supportive product under veterinary supervision.

DOSAGE AND ADMINISTRATION

Cattle	Calves	Sheep and goats
20–30 ml	**15–20 ml**	**5–10 ml**

Given orally, **undiluted**.
Mild cases: 1 day. **Severe cases:** for 3 days.

PACKAGING	STORAGE	SHELF LIFE
50 ml bottle	Dry place, protected from light, closed container	2 years

Made in Uzbekistan · For veterinary use only.

تنتور گیاهی طبیعی — کنسانتره ۵۰ میلی‌لیتری

از تخم گشنیز، تخم شبت، بادیان و افسنطین. فرمول قوی‌تر با دوز کمتر. تقویت اشتها، بهبود هضم و کاهش نفخ. برای گاو، گوساله، گوسفند و بز.

OWN PRODUCTION

OKSI Sprey 3.5%

Antibacterial spray · for external use

For cattle, sheep and goats



- Broad-spectrum antibacterial action
- Safe for skin and mucous membranes
- Treated area turns blue
- No withdrawal period for meat and milk

COMPOSITION

Active substance: oxytetracycline hydrochloride — 3.5% (35 mg/ml).
Excipients: ethyl alcohol 96%, propylene glycol, glycerin, PVP K30, potassium sorbate, crystal violet (gentian violet), purified water.

INDICATIONS

Treatment and prevention of superficial infections caused by, or complicated with, oxytetracycline-sensitive microorganisms:

- Interdigital and digital dermatitis and other hoof diseases in cattle
- Foot rot and interdigital inflammation in sheep and goats
- Superficial wounds, scratches and cuts
- Post-surgical wounds (castration, dehorning, ear tagging)
- Navel infections and other skin infections

DIRECTIONS FOR USE

Shake well before use. Clean the wound of dirt and pus. Spray from 15–20 cm for 3–5 seconds until the area is evenly coloured blue. For hoof diseases, clean the hoof first. Apply 1–2 times a day until healed.

PRECAUTIONS

For external use only. Do not spray in or near the eyes. Wear gloves and wash hands after use. Do not use near open flame. Keep out of reach of children. **Withdrawal period for meat and milk: none (0 days).**

PACKAGING	STORAGE	SHELF LIFE
100 ml and 200 ml	Dry, cool place, protected from light	2 years

OKSI Sprey 3.5% — اسپری ضد باکتری

اکسی‌تتراسایکلین ۳.۵٪ برای استفاده خارجی. درمان زخم‌های سطحی، التهاب و پوسیدگی سم، و زخم‌های بعد از عمل در گاو، گوسفند و بز. محل استفاده آبی رنگ می‌شود.

FEED ADDITIVE

Fish Oil

Vitamins A and D, omega-3

For cattle, horses, sheep, goats, dogs, cats and poultry



- Source of vitamins A and D
- Growth and development of young animals
- Strong bones and joints
- Supports immunity

COMPOSITION

Fish oil (concentrate produced in Russia), vegetable oil and auxiliary substances. Contains natural vitamins A and D and unsaturated fatty acids (omega-3).

INDICATIONS

- Prevention and treatment of vitamin A and D deficiency
- Prevention of rickets in young animals and osteomalacia in adults
- Better growth and development of young animals and chicks
- Support of foetal development in pregnant animals
- Strengthening immunity and general condition
- External: faster healing of skin lesions and wounds

DOSAGE AND ADMINISTRATION

Cows **100–200 ml**	Horses **40–100 ml**	Sheep and goats **20–50 ml**	Dogs **10–30 ml**
Cats **5–10 ml**	Poultry **2–5 ml**	Chicks **0.3–0.5 ml**	

Per animal, given orally. **External use:** soak bandages with fish oil and apply to the affected areas.

PACKAGING
100 ml and 1 L

STORAGE
Dry, cool place, protected from light

SHELF LIFE
2 years

روغن ماهی — منبع ویتامین A و D
پیشگیری از کمبود ویتامین A و D و راشیتیسم، بهبود رشد حیوانات جوان و جوجه‌ها، تقویت معافیت. برای گاو، اسب، گوسفند، بز، سگ، گربه و طیور.

FEED ADDITIVE · GERMAN TECHNOLOGY

VITA-TOKS

+ tricalcium phosphate · 1 product — 6 benefits

For dairy cows, calves and lambs



- Increases productivity
- Reduces mycotoxins
- Reduces harmful bacteria
- Reduces mould
- Reduces spread of infection
- Calcium and phosphorus for bones

COMPOSITION

- **Natural clay — aluminium silicate:** the main component; binds mycotoxins and harmful substances and removes them from the body
- **Turbo Tox®** (XVET, Germany): inactivated yeast extract from several plants, blend of organic acids
- **OregoPlus® Dry** (XVET, Germany): essential oils of oregano, thyme, tea tree and anise
- **Tricalcium phosphate** and auxiliary components

EFFECTS AND BENEFITS

- Increases weight gain, milk and meat yield
- Pleasant aroma attracts animals and stimulates appetite
- Synergistic formula for gut health and growth; helps reduce antibiotic use
- Activates gut immunity and improves faecal quality
- Essential oils act against microbes such as Salmonella and Clostridium
- Tricalcium phosphate provides calcium and phosphorus for bones and hooves

DOSAGE AND ADMINISTRATION

Dairy cow	Calf	Sheep and lambs
20–30 g/day	**10–15 g/day**	**5–7 g/day**

Mix 1 kg of VITA-TOKS into 100 kg of compound feed, or sprinkle over the feed for each animal. Add before extrusion or pelleting. **Give for 7–10 days each month.** Continuous feeding causes no harm.

PACKAGING	STORAGE	SHELF LIFE
1 kg box · 5 kg bag · 3 kg bucket (on order)	Dry, cool place, protected from light	5 years

Spec. 19747032-001:2025 · Made in Uzbekistan using German technology.

VITA-TOKS — مکمل خوراکی با تکنالوژی آلمانی

کاهش مایکوتوکسین، کپک و باکتری‌های مضر، بهبود صحت روده و افزایش تولید شیر و گوشت. برای گاو شیری، گوساله و بره.

FEED ADDITIVE · GERMAN TECHNOLOGY

VITA-TOKS

Weight gain and better meat quality

For fattening cattle and sheep



- Faster weight gain
- Stimulates appetite with pleasant aroma
- Reduces mycotoxins
- Reduces harmful bacteria
- Reduces mould
- Reduces spread of infection

COMPOSITION

- **Natural clay — aluminium silicate:** the main component; binds mycotoxins and harmful substances and removes them from the body
- **Turbo Tox®** (XVET, Germany): inactivated yeast extract from several plants, blend of organic acids
- **OregoPlus® Dry** (XVET, Germany): essential oils of oregano, thyme, tea tree and anise
- **Premixes**, **ascorbic acid (vitamin C)**, **tricalcium phosphate**
- Special appetite-stimulating medicinal herbs and auxiliary components

EFFECTS AND BENEFITS

- Faster daily weight gain and better meat quality
- Pleasant aroma attracts animals and strongly stimulates appetite
- Synergistic formula for gut health and growth; helps reduce antibiotic use
- Protects feed from mould and mycotoxins
- Vitamin C improves stress resistance; tricalcium phosphate provides calcium and phosphorus for bones

DOSAGE AND ADMINISTRATION

Fattening cattle	Fattening sheep
10–20 g/day	**5–7 g/day**

Mix 1 kg of VITA-TOKS into 100 kg of compound feed, or sprinkle over the feed for each animal. Add before extrusion or pelleting. **Give for 7–10 days each month.** Continuous feeding causes no harm.

PACKAGING	STORAGE	SHELF LIFE
1 kg box · 5 kg bag · 3 kg bucket (on order)	Dry, cool place, protected from light	5 years

Spec. 19747032-001:2025 · Made in Uzbekistan using German technology.

VITA-TOKS — برای چاق‌سازی گاو و گوسفند

افزایش وزن و بهبود کیفیت گوشت، باز کردن اشتها با بوی خوش، کاهش مایکوتوکسین و باکتری‌های مضر. برای گاو و گوسفند پرواری.

FEED ADDITIVE · GERMAN TECHNOLOGY

VITA-TOKS

For poultry · + tricalcium phosphate



For chicks, chickens, ducks, geese, turkeys and other poultry

- Better weight, eggs and meat quality
- Increases productivity
- Reduces mycotoxins
- Reduces harmful bacteria
- Reduces mould
- Reduces spread of infection

COMPOSITION

- **Natural clay — aluminium silicate:** binds mycotoxins and harmful substances and removes them
- **Turbo Tox®** and **OregoPlus® Dry** (XVET, Germany): yeast extract, organic acids; essential oils of oregano, thyme, tea tree and anise
- **Vitamins**, **tricalcium phosphate** and auxiliary substances

EFFECTS AND BENEFITS

- Faster weight gain and better meat quality in chicks and broilers
- Higher egg production and egg quality in layers; tricalcium phosphate provides calcium and phosphorus for eggshell and bones
- Helps in the prevention of colibacillosis, salmonellosis and coccidiosis (eimeriosis); reduces stress before and after vaccination
- Supports gut health and immunity, helps reduce antibiotic use

DOSAGE AND ADMINISTRATION

1 kg of VITA-TOKS per 100 kg of feed. Mix thoroughly with the feed. Add before extrusion or pelleting.

PACKAGING	STORAGE	SHELF LIFE
1 kg · 5 kg · 3 kg bucket (on order)	Dry, cool place, protected from light	5 years

Made in Uzbekistan using German technology.

VITA-TOKS — مکمل خوراکی برای طیور

افزایش وزن، تولید و کیفیت تخم و گوشت، کاهش مایکوتوکسین و باکتری‌های مضر. ۱ کیلوگرام برای ۱۰۰ کیلوگرام خوراک. برای جوجه، مرغ، اردک، غاز و بوقلمون.

INSECTICIDE · FARM HYGIENE

HAN-BO'RON

Against flies and mosquitoes

For cattle barns, poultry houses, storehouses and homes



- Fast action
- Long-lasting effect
- Sweet attractant draws flies
- No unpleasant smell

COMPOSITION

Active substances: deltamethrin 46 g/L + thiamethoxam 94 g/L (suspension concentrate, China).
Additive: sweet attractant that draws flies. Packed in Uzbekistan.

EFFECTS AND BENEFITS

- **Deltamethrin** — fast contact action, strong knock-down effect and long residual activity
- **Thiamethoxam** — a neonicotinoid with stomach and contact action, fast and long-lasting
- Two active substances together reduce the risk of resistance in insects
- Effective against mosquitoes, flies, other flying insects and cockroaches

DIRECTIONS FOR USE

The box contains 2 sachets. **Mix both sachets in 1 litre of water** and spray on places where insects gather — walls, ceilings, window frames, around feeders. The effect lasts a long time on treated surfaces. Prepare the solution just before use; do not store it. Do not mix with alkaline substances.

PRECAUTIONS

Remove animals and birds before treatment; cover feed, water and feeders. Wear gloves, a mask and protective clothing; wash hands and face with soap afterwards. Avoid contact with eyes and skin. Do not use near food or feed. Dangerous to bees, silkworms and fish — do not use near hives, silkworm houses or water bodies. Keep out of reach of children.

PACKAGING	STORAGE	SHELF LIFE
25 g ± (2 sachets)	Dry, cool place, away from sunlight, 0–30 °C	3 years

Spec. No. 19747032-003:2026

HAN-BO'RON — ضد پشه و مگس
دلتامترین + تیامتوکسام با جاذب شیرین. اثر سریع و طولانی. برای طویله، مرغداری، انبار و منزل.

PRODUCT RANGE

BEXHAN products

PRODUCT	GROUP	USE	PACK
Han-V8	Herbal	Immunity, respiratory, appetite	500 ml
Natural Herbal Tincture	Herbal	Digestion, appetite, bloating	500 ml
Herbal Tincture Concentrate	Herbal	Digestion, appetite, gas	50 ml
OKSI Sprey 3.5%	Spray	Wounds, hoof diseases	100 / 200 ml
Fish Oil	Feed additive	Vitamins A & D, growth	100 ml / 1 L
VITA-TOKS (dairy)	Feed additive	Milk, gut health, mycotoxins	1 / 3 / 5 kg
VITA-TOKS (fattening)	Feed additive	Weight gain, appetite	1 / 3 / 5 kg
VITA-TOKS (poultry)	Feed additive	Weight, eggs, mycotoxins	1 / 3 / 5 kg
HAN-BO'RON	Insecticide	Against flies and mosquitoes	25 g

We also supply veterinary drugs and agro products from China and, from February 2027, from India. Full list and prices on request.

Contact us

BEXHAN VETERINARY

Elyorxon Boxodirov
Director, BEXHAN Veterinary
“Boxodirov Elyorxon Xasan o‘g‘li” Private Enterprise
Koson, Kashkadarya region, Uzbekistan

Phone / WhatsApp: +998 91 526 57 87
Phone: +998 90 876 87 57
E-mail: elyor.baxodirov@bk.ru
Personal e-mail: elyorbax@mail.ru
Telegram: @agro_vet_koson